

Safety data sheet

TAPECRETE TM Fin
TAPECRETE TM Grov
TAPECRETE RB
TAPECRETE Svumme & Tyndpuds
TAPECRETE Flisemørtel
TAPECRETE Kosmetik
TAPECRETE TM Fin Rapid

1. Identification of the substance/preparation and of the company/undertaking

Prepared on: 23.06.2008

Use: Concrete plaster

Manufacturer/importer/distributor:
 Gjerlev a/s
 Fuglebakken 12, Strib
 5500 Middelfart
 Tlf: +45 40166606
 E-mail: info@gjerlev.as
 Kontakt +45 40166606

2. Hazards identification

Irritating to respiratory system and skin. Risk of serious damage to eyes.

3. Composition/information on ingredients

Einecs No.	Designation	Classification	w/w%
	Quartz (SiO ₂)	Xi; R37/38-41	40-90 -
	Unknown		10-60 -
<i>Please see item 16 for the wording of R-phrases</i>			

4. First aid measures

By inhalation:

Seek fresh air.

By ingestion:

Rinse mouth thoroughly and then drink plenty of water. Induce vomiting. Seek medical advice. Show this safety data sheet to the doctor.

By skin contact:

Remove contaminated clothes. Wash skin thoroughly and for a long time with water.

By eye contact:

Rinse immediately with water (preferably using eye wash) for at least 5 minutes. Open eyes wide. Remove any contact lenses. Seek medical advice if irritation persists and bring this safety data sheet.

5. Fire-fighting measures

The product is not inflammable. Water which has been in contact with the product may be corrosive.

6. Accidental release measures

Use the same personal protection as for item 8. Sweep/pick up spill for possible reuse or place in suitable waste containers. For information on disposal please see item 13

**TAPECRETE TM Fin
TAPECRETE TM Grov
TAPECRETE RB
TAPECRETE Svumme & Tyndpuds
TAPECRETE Flisemørtel
TAPECRETE Kosmetik
TAPECRETE TM Fin Rapid**

7. Handling and storage

<p>Handling: Please see item 8 for information on personal protection.</p> <p>Storage: Keep it in a tightly closed container in a dry place</p>

8. Exposure controls/ Personal Protection

<p>Design of technical systems:</p>		
<p>Respiratory protection: Use respiratory equipment with filter P2</p>		
<p>Hand and body protection: Use suitable clothing</p>		
<p>Eye protection: Wear eye protection on risk of splashes in eyes.</p>		
<p>Occupational exposure limits:</p>		
Substance	Exposure limit	Remarks
<p>(EH40/2001 Occupational Exposure Limits 2001)</p>		
<p>Control methods: The exposure limits stated can be checked through occupational hygiene measurements.</p>		

9. Physical and chemical properties

<p>Appearance: Grey or white powder Odour: not significant pH (x% solution): 12-13 Relative density app. 2400 kg/m³ Solubility in water: miscible</p>
--

10. Stability and reactivity

<p>Product harden in contact with water</p>

TAPECRETE TM Fin
TAPECRETE TM Grov
TAPECRETE RB
TAPECRETE Svumme & Tyndpuds
TAPECRETE Flisemørtel
TAPECRETE Kosmetik
TAPECRETE TM Fin Rapid

11. Toxicological information

Immediate effects**Inhalation:**

Inhalation of dust may be irritating to upper airways. Causes coughing and difficulty in breathing.

Ingestion:

Not probable as the product is an aerosol. Spray in mouth may irritate mucous membranes in mouth and stomach/intestine. Irritates mucous membranes in mouth and stomach/intestine.

Skin contact:

Skin irritant - may cause flushing.

Eye contact:

May cause deep burns. Risk of serious eye damage with loss of sight.

Long-term effects

Long term inhalation of dust may harm breathing function

12. Ecological information

Ecological information for the product

No data available

13. Disposal considerations

Collect spills and waste in closed and sealed containers and send to the local disposal facility for chemical waste. Dispose of empty and cleaned packaging in ordinary refuse collection.

EAK-code: 10 13 06 00

14. Transport information

The product is not comprised by the rules of dangerous goods.

TAPECRETE TM Fin
TAPECRETE TM Grov
TAPECRETE RB
TAPECRETE Svumme & Tyndpuds
TAPECRETE Flisemørtel
TAPECRETE Kosmetik
TAPECRETE TM Fin Rapid

15.Regulatory information



Hazard designation:

Irritant

Danger symbols:

Xi

Containing:

Calciumoxid. Ved blanding med TAPECRETE mørtelmix eller vand dannes calciumhydroxid, som kan virke ætsende.

R-phrases:

Irritating to respiratory system and skin. (R37/38)
Risk of serious damage to eyes. (R41)

S-phrases:

Do not breathe dust. (S22)
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. (S26)
Wear eye/face protection. (S39)

Other information:

16.Other information

Training advise:

No special training is necessary but a thorough knowledge of this safety data sheet is assumed.

Packaging:

2 5 k g

Sources used:

Other information:

This safety data sheet was prepared on the basis of information from the supplier on the product (e.g. material data sheets and the like).